

## Safety Data Sheet

## Chemical Substances and Company Information








Product name (Glass type) S-TIL26  
 Name of manufacturer Ohara Incorporated  
 Address 15-30 Oyama,1-Chome, Chuo-ku, Sagami-hara-shi, Kanagawa 252-5286, Japan  
 Issuing Department Environmental Safety Section , General Affairs Department TEL:042-772-5118 FAX:042-774-1071  
 Executing Department Material Production Control Section , Optical Material Business Unit TEL:042-772-5115 FAX:042-774-2314  
 Date of creation Nov 17, 2014 Date of revision

## Hazards Identification

Optical glasses are physically and chemically stable and are not hazardous. However, the following danger hazardness is concerned during processing of optical glasses.

Hazards : When dust inhaled during dry processing and melting, may cause chronic or cumulative health impairment. And gas inhaled during melting, may cause acute poisoning and chronic or cumulative health impairment including cancer.

Environmental effects : Pay attention to the concentrations of discharge density of gas during melting as they may damage the ecosystem.

| GHS classification(1 - 115)                      |   | F <sub>2</sub>  | Sb <sub>2</sub> O <sub>3</sub>   | SiO <sub>2</sub>  | TiO <sub>2</sub>            |
|--|---|---|--|---|-----------------------------|
| Physical hazards                                 | Explosives  | Not applicable  | Not applicable   | Not applicable  | Not applicable              |
|  | Flammable / Flammable gases   | Not classified  | Not applicable   | Not applicable  | Not applicable              |
|  | Flammable / Flammable aerosols  | Not applicable  | Not applicable   | Not applicable  | Not applicable              |
|  | Combustion support / Oxidizing gases  | Classification not possible   | Not applicable   | Not applicable  | Not applicable              |
|  | Gases under pressure  | Compressed gas  | Not applicable   | Not applicable  | Not applicable              |
|  | Flammable liquids   | Not applicable  | Not applicable   | Not applicable  | Not applicable              |
|  | Flammable solids  | Not applicable  | Not classified   | Not classified  | Not classified              |
|  | Self-reactive substances and mixtures   | Not applicable  | Not applicable   | Not applicable  | Not applicable              |
|  | Pyrophoric liquids  | Not applicable  | Not applicable   | Not applicable  | Not applicable              |
|  | Pyrophoric solids   | Not applicable  | Not classified   | Not classified  | Not classified              |
|  | Self-heating substances and mixtures  | Not applicable  | Not classified   | Not classified  | Not classified              |
|  | Substances and mixtures which, in contact with water, emits flammable gases         | Not applicable  | Not classified   | Not classified  | Not classified              |
|  | Oxidizing liquids   | Not applicable  | Not applicable   | Not applicable  | Not applicable              |
|  | Oxidizing solids  | Not applicable  | Classification not possible  | Classification not possible   | Classification not possible |
|  | Organic peroxides   | Not applicable  | Not applicable   | Not applicable  | Not applicable              |
|  | Corrosive to metals   | Classification not possible   | Classification not possible  | Classification not possible   | Classification not possible |
| Health hazards                                   | Acute toxicity(Oral)  | Classification not possible   | Category 5   | Classification not possible   | Not classified              |
|  | Acute toxicity(Skin)  | Classification not possible   | Classification not possible  | Classification not possible   | Not classified              |
|  | Acute toxicity(Inhalation: Gas)   | Category 1  | Not applicable   | Not applicable  | Not applicable              |
|  | Acute toxicity(Inhalation: Vapour)  | Not applicable  | Classification not possible  | Not applicable  | Classification not possible |
|  | Acute toxicity(Inhalation: Dust)  | Not applicable  | Classification not possible  | Classification not possible   | Not classified              |
|  | Acute toxicity(Inhalation: Mist)  | Not applicable  | Not applicable   | Not applicable  | Not applicable              |
|  | Skin corrosion / Irritation   | Classification not possible   | Classification not possible  | Classification not possible   | Classification not possible |
|  | Serious eye damage / Eye irritation   | Category 2A–2B  | Category 2B  | Classification not possible   | Category 2B                 |
|  | Respiratory sensitization   | Classification not possible   | Classification not possible  | Classification not possible   | Classification not possible |
|  | Skin sensitization  | Classification not possible   | Classification not possible  | Classification not possible   | Classification not possible |
|  | Germ cell mutagenicity  | Classification not possible   | Not classified   | Not classified  | Not classified              |
|  | Carcinogenicity   | Classification not possible   | Category 1B  | Category 1A   | Category 2                  |
|  | Reproductive toxicity   | Category 2  | Category 1B  | Classification not possible   | Classification not possible |
|  | Specific target organ toxicity-Single exposure                                      | Category 1 (Kidneys,Respiratory system,Liver)                                       | Category 1 (Heart)   | Category 1 (Respiratory system)   | Classification not possible |
|  |   |   | Category 2 (Respiratory system)  |   |                             |
| Specific target organ toxicity-Repeated exposure | Category 1 (Testis,Respiratory system)  | Category 1 (Respiratory system)   | Category 1 (Respiratory system, Kidney)  | Classification not possible   |                             |
| Aspiration hazard                                | Not applicable  | Classification not possible   | Classification not possible  | Classification not possible   |                             |
| Environmental Hazards                            | Hazardous to the aquatic environment (Acute)  | Classification not possible   | Category 3   | Classification not possible   | Classification not possible |
|  | Hazardous to the aquatic environment (Chronic)                                      | Classification not possible   | Category 3   | Classification not possible   | Category 4                  |
| Symbols  |  |  |  |  |                             |
|  |  |   |  |   |                             |
|  |  |   |  |   |                             |
|  |  |   |  |   |                             |
| Signal Word                                      | Danger  | Danger  | Danger   | Warning   |                             |

## Composition / Information on Ingredients

Substance / Mixture: Mixture

## Ingredients and contents

| Chemical name     | Chemical formula               | Industrial Safety and Health Law                                |                    | Chemical Management Promotion Law<br>(Responding to revised government ordinance of Oct 1, 2009) |                              |                       |             |                                       |   |                                       | Poisonous and Deleterious Substances Control Act |
|-------------------|--------------------------------|---|--------------------|--|------------------------------|-----------------------|-------------|---------------------------------------|---|---------------------------------------|--|
|                   |                                | Hazardous substances of which notification of names is required | Content (Weight %) | Names of designated chemical substances  | Content (Weight %)<br>Note 1 | Appended table number | Item number | Class 1 designated chemical substance | Specified Class 1 designated chemical substance | Class 2 designated chemical substance |  |
| Silicon dioxide   | SiO <sub>2</sub>               | Silica  | 60 - 70            | —  | —                            | —                     | —           | —                                     | —   | —                                     | —  |
| Titanium dioxide  | TiO <sub>2</sub>               | Titanium dioxide  | 10 - 20            | —  | —                            | —                     | —           | —                                     | —   | —                                     | —  |
| Fluorine          | F <sub>2</sub>                 | Fluorine and its water-soluble inorganic compounds              | 0 - 2              | Hydrogen fluoride and its water-soluble salts  | 1.0                          | Table 1               | 374         | ○                                     | —   | —                                     | —  |
| Antimony trioxide | Sb <sub>2</sub> O <sub>3</sub> | Antimony and its compounds                                      | 0 - 2              | Antimony and its compounds   | 0.50                         | Table 1               | 31          | ○                                     | —   | —                                     | ○  |

Note 1: Weight percentages of relevant substances are listed in accordance with the Chemical Management Promotion Law(Japan)

## First Aid Measures

- Eye contact : If the grinding or polishing liquids come into contact with eyes, immediately rinse the eyes with clean water and obtain a medical diagnosis, if necessary. In the case of contact with dust from dry processing, be careful to avoid damaging the eyeballs and obtain a medical diagnosis.
- Mouth contact : If grinding and polishing liquids and dust enter the mouth, rinse with plenty of water. If ingestion occurs, give the patient plenty of water and induce vomiting, then obtain a medical diagnosis, if necessary.

## Fire-Fighting Measures

Since optical glasses are nonflammable, any extinguishing media may be used.  
When glass becomes the high temperature at a disaster, gas including fluorine may be generated. Therefore, move applicable glass to the safe place at the time of the fire immediately. When it was in a situation that gas including fluorine is generated,  
I wear the bird cage which is not located leeward and prevent you from inhaling gas containing fluorine. When I inhale it, I receive the diagnosis of the doctor.

## Spillage Countermeasures

- Grinding and polishing liquids : Stop the flow with sandbags or the like to prevent the spill from contaminating soil or being absorbed into wastewater systems such as sewers. Collect as much of the released liquid as possible into an empty container.
- Dust : Prevent dust from contaminating soil or being absorbed into wastewater systems such as sewers, and collect as much of the released dust as possible into an empty container. Be sure to remain upwind and wear a dust mask when dealing with dust spills.

## Handling and Storage

Since optical glasses are physically and chemically stable, no precautions are required in handling and storage.  
During grinding, polishing, and dry processing

- \* When handling, be careful to prevent grinding and polishing liquids, grinding and polishing waste, and dust from dry processing from escaping and contaminating the environment; and
- \* Gargle and wash hands thoroughly after work.

## Exposure Control / Personal Protection

Although there is no potential hazard in exposure to optical glass due to its physical and chemical stability, exposure to the mist scattered during wet processing and the scattered dust created during dry processing may result in injury.

- During wet processing : Prevent mist from scattering by providing the processing machine with a protective cover or the like.
- During dry processing : Prevent dust from scattering by installing a local exhaust system or the like. Wear a dust mask. Wear eye protection, if necessary.

## Control concentrations of chemical substances

| Chemical substance name | Dust                    | Hydrogen fluoride |
|-------------------------|-------------------------|-------------------|
| Control concentration   | E=3.0 mg/m <sup>3</sup> | 3 ppm             |

## Physical and Chemical Properties

|  |   |   |
|--|---|---|
| Physical state                                       | : | Solid   |
| Color  | : | Pale yellow, transparent or colorless and transparent |
| Odor   | : | Odorless  |
| pH   | : | Not applicable  |
| Temperature of changing physical state (Yield point) | : | 599°C   |
| Specific gravity                                     | : | 2.57  |
| Solubility   | : | Low   |

## Stability and Reactivity

|                        |   |                        |
|------------------------|---|------------------------|
| Stability              | : | Stable                 |
| Reactivity             | : | Normally unobservable  |
| Decomposition products | : | Normally unpredictable |

## Toxicological Information

Since optical glasses are physically and chemically stable, they do not have acute toxicity or local effects.  
Grinding and polishing liquids and grinding and polishing waste and dust have:

|                  |   |   |
|------------------|---|---|
| Acute toxicity   | : | No information  |
| Carcinogenicity  | : | No information  |
| Chronic toxicity | : | Cumulative chronic toxicity through inhalation and skin contact |

## Ecological Information

Since optical glasses are physically and chemically stable, they have no ecological effects.  
Gas generated during melting does not have hazardousness to the ozone layer.  
When concentrations of grinding and polishing liquids surpass the standard value of the Water Pollution Control Law(Japan) shown below, they have cumulative chronic toxicity.

|   |          |
|---|----------|
| Restricted substance                            | Fluorine |
| Effluent standards or permissible concentration | 15 mg/L  |

## Disposal Considerations

Commission disposal to approved and licensed waste disposers in accordance with the relevant laws and regulations concerning the disposal and handling of wastes.

## Transport Information

None

## Regulatory Information(Japan)

Industrial Safety and Health Law, enforcement ordinance of the same, bylaw of the same  
Pneumoconiosis Law, enforcement regulations of the same  
Ordinance on the Prevention of Dust Hazard  
Ordinance on the Prevention of Lead Poisoning  
Ordinance on the Prevention of Hazards due to Specified Chemical Substances  
Working Environment Measurement Law, enforcement ordinance of the same, enforcement bylaw of the same, standard of the same, standards for working environment evaluation  
Water Pollution Control Law, enforcement ordinance of the same, enforcement bylaw of the same, prefecture and ministry ordinances, notifications, and the like stipulating effluent standards  
Chemical Management Promotion Law  
Soil Contamination Countermeasures Act, enforcement ordinance of the same, enforcement regulations of the same.  
Poisonous and Deleterious Substances Control Act, enforcement ordinance of the same, enforcement regulations of the same.  
Waste Disposal and Public Cleansing Law, enforcement ordinance of the same, enforcement bylaw of the same

- Please confirm applicability of laws and regulations depending upon the site scale, installed capacity, and the like.
- Make sure you are aware of and adhere to all applicable local regulations.

## Other Information

Contact us if you wish to melt down glass for recycling or other purposes.